

# World-Shaking Launch Provides Perfect Experience



**SOLE AGENT:** 



#### **GD1801/3202 LARGE FORMAT INKJET PRINTER**

#### DX5 Eco Solvent Head



- Focus on both of speed and quality
- Full support of top R&D group

- Max 3.2m printing width
- 1, 2 or 4 Epson DX5 print heads optional













# **ALPHA**

# GD SERIES

User's Manual

SPECIALCOLOR CORPORATION

# Main Specification

| Printer Model        |           | GD1801   | GD3202   |
|----------------------|-----------|--|--|
| Printing Head        |           | Piezoelectric Print Head (Double Epson DX5 Print Heads)  |  |
| Max Printing Width   |           | 6 Feet   | 10 Feet  |
| Printing Resolution  |           | 360x720,360x1080,720x360,720x720,720x1080,720x1440,1440x1440   |  |
| Printing Mode        |           | 2pass/3pass/4pass/6pass/8pass  |  |
| Printing Speed       |           | 370 sq.ft/h, 250 sq.ft/h, 185 sq.ft/h,<br>127 sq.ft/h, 80 sq.ft/h  | 845 sq.ft/h, 563 sq.ft/h, 423 sq.ft/h,<br>285 sq.ft/h, 211 sq.ft/h |
| Ink Capacity         |           | 220cc ink cartridge with 1.5L ink bottle(CISS)   |  |
| Three Heating System |           | Yes  |  |
| Dry System           |           | Standard intelligent infrared ray heating/ fan system  |  |
| Media System         |           | Automatic Media Feeding & Rolling system   |  |
| Environm             | Power On  | Temperature 15-32°C, Relative Humidity 35~80%(non-condensing) Suggested temperature is 20°C, relative humidity is 50%. |  |
| ent                  | Power Off | Temperature 5-40 °C, Relative Humidity 20~80%(non-condensing)  |  |
| Dimension/Weight     |           | 3200(W)*900(D)*1400(H), 350kgs   | 4620(W)*970(D)*1560(H), 650kgs                                     |
| Power                |           | AC 220V±5%, 16A, 50Hz±1  |  |
| Interface            |           | USB 2.0 or 3.0   |  |

World's Fastest European quality digital printer now in Sri Lanka, produced based on Japanese machine & print head technology.

423 Sq.ft per hour for 4 Pass.

Special dryer element to dry the print while printing except the bed heater.

Special Ink supply system from Ink cartridges to dampers which avoids head blocking.

Facility to load and keep four different kind of rolls at the same time.

Enhanced calibration saving software to replay in future calibration setting.

## **Assembling**

#### 1. Attached assembly

Please check if following parts are attached in printer package.



INK CARTRIDGES(220cc,4PCS)



INK BOTTLE(1.5L, 4PCS)



HEAD CABLE(4PCS)



USB CABLE



DAMPER CLAMP(2PCS, 1PC/HEAD)

#### 2. If the printer was assembled before shipment, just start from step 19.































### Accessories




















# **Trouble Shooting**

When an Error occured, there will be a code which enable to identify the error.

#### **ALPHA**

**Specialcolor Technology Corporation** 

www.made-in-alpha.com www.special-color.com

#### **SOLE AGENT:**

#### RP MARKETING

A3, Miraj House, Soysapura, Moratuwa, Sri Lanka.

Tel: +94 11 7 20 30 52

rpmarketingsales@gmail.com www.rpmarketing.lk

## **IMPORTERS & DISTRIBUTORS OF** DIGITAL PRINTING MACHINES & MATERIALS

Flex & Sticker | Digital Printing Machines Digital Printing Ink & Solvent | Plastic Sheets Corrugated Sheet | LED Pannel X-Stands & Pull up Stands | Flex Glue



MAIN BRANCH

A3, Miraj House, Soysapura, Moratuwa. Tel: 011 7 20 30 52

rpmarketingsales@gmail.com

Nugegoda:

No.557/A, Highlevel Road, Delkanda, Nugegoda. Tel: 011 7 25 25 45

Kalutara:

No. 382/A, Galle Road, Kalutara North. Tel: 034 7 212495

Matara:

No. 13, St. Thomas Road, Matara. Tel: 041 2 237494

www.rpmarketing.lk

